


Please add Claims 15-22 as follows:

15. A composition comprising a compound of formula I(a)



wherein said compound is selected from the group consisting of

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is CH_3 , and R^{11b} is 2-Cl-phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is CH_3 , and R^{11b} is phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is 2-Cl-phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is H, and R^{11b} is phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is H, and R^{11b} is phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is 3-F-phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is H, R^{5b} is Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is phenyl;

a compound of formula I(a) wherein R^{5a} is H, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is 2-Cl-phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is 3-F-phenyl, and R^{11b} is H;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is 4-Cl-phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is 2-Cl-phenyl;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is 2-Cl-phenyl, and R^{11b} is 2-Cl-phenyl;


a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is Cl, R^{11a} is 2-F-phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is H, R^{5b} is OCH_3 , R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(a) wherein R^{5a} is Cl, R^{5b} is H, R^{11a} is CH_3 , and R^{11b} is 2-Cl-phenyl; and

enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.

16. A composition comprising a compound of formula I(b)



I(b)

wherein said compound is selected from the group consisting of

- 31
- a compound of formula I(b) wherein R^1 is CH_3 , R^{4a} is CF_3 , R^{5a} is H, and R^{11a} is phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-F-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-Cl-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-pyridinyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is cyclohexyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-F-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-furanyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is methyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-Cl-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is propyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is CF_3 , R^{5a} is Cl, and R^{11a} is phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-thienyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-Cl-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-Br-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-pyridinyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-methoxyphenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-methoxyphenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is phenylethyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is phenyl- CH_2 -;

- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-(methoxy)phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is (2-Cl-phenyl)-O-CH₂-;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is C₂H₅-O-CO-CH₂-;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-CH₃-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-CH₃-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is NC-CH₂-;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-[N(CH₃)₂]-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is C₂H₅-O-(CH₂)₂-;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-[N(CH₃)₂]-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-nitrophenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-aminophenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-(-N=N⁺=N⁻)-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is C₂H₅-O-CO-;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is phenyl-O-(CH₂)₂-;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-CH₃-phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is phenyl;
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 1-(C₂H₅-O-CO)-4-piperidinyl;

- 131
- a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-nitrophenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-aminophenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-($N=N^+=N^-$)-phenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 1-CH₃-4-piperidinyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 1-CH₃-3-piperidinyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is Cl-CH₂-;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is (CH₃)₂-N-CH₂-;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 4-(4-CH₃-1-piperazinyl)phenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-OH-phenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-pyridinyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-hydroxyphenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-CH₃-2-thienyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-(NH₂-SO₂)-phenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-(CH₃-SO₂)-phenyl;
 - a compound of formula I(b) wherein R^1 is CH₃, R^{4a} is H, R^{5a} is Cl, and R^{11a} is phenyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-CH₃-2-furanyl;
 - a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-(CH₃-SO₂-NH)-phenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-(CH₃-SO₂);

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-nitrophenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-aminophenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-(CH₃-CO-O-CH₂-CO-NH)-phenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-(HO-CH₂-CO-NH)-phenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-(CH₃-CO-O-CH₂-CO-NH)-phenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-(HO-CH₂-CO-NH)-phenyl;


a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-CH₃-3-nitrophenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-amino-2-methylphenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-CH₃-3-(NH₂-SO₂-NH)-phenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-(C₂H₅-O-CO-CO-NH)-phenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is




a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 3-(NH₂-SO₂-NH)-phenyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-CH₃-3-pyridinyl;

a compound of formula I(b) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, and R^{11a} is 2-CH₃-3-(CH₃-CO-O-CH₂-CO-NH)-phenyl; and

enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.

17. A composition comprising a compound of formula I(c)



I(c)

wherein said compound is selected from the group consisting of

- a compound of formula I(c) wherein R^1 is CH_3O , R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is H, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is H, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is 4-pyridinyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is CH_3 ;
- a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 4-Cl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is CH_3 , and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is phenyl;


- a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is 4-Cl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is CH_3 , and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 4-pyridinyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is CH_3 , and R^{11b} is CH_3 ;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 4-[$N(C_2H_5)$]-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-Cl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3- CF_3 -phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-F-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3- CH_3 -phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is CF_3 , R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3- OCH_3 -phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-Br-5- OCH_3 -phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 4-OH-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is C_2H_5O-CO- , and R^{11b} is H;

- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3,4-diCl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is C_2H_5O-CO- ;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 4-phenyl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-thienyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is OH, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is H, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is OH, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is NH_2 , R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is H, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is Cl, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is H, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is CH_3O , R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is H, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is H, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ethyl;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl- CH_2- , and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is CF_3 , R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is Cl, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is Cl, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 4-piperidiny, and R^{11b} is H;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is



, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is Cl-CH₂-, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is



, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is Cl, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is CF_3 , R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is CF_3 , R^{5a} is Cl, R^{5b} is 3- CH_3 , R^{11a} is phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-furanyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is CF_3 , R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is CF_3 , R^{5a} is Cl, R^{5b} is 3- CH_3 , R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is CF_3 , R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is $(CH_3)_2N-CH_2-$, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $(CH_3)_2CH-$;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-F-phenyl, and R^{11b} is H;

- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-CH₃-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-Br-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is propyl;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is CF₃, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is CH₃;
- a compound of formula I(c) wherein R^1 is CH₃, R^{4a} is CH₃, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is CH₃, and R^{11b} is phenyl;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl-CH₂-;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-Br-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is CH₃, R^{4a} is Cl, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ethyl;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2,3-diCl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is (CH₃)₂N-CH₂-;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is CF₃, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is CH₃, R^{4a} is CF₃, R^{5a} is H, R^{5b} is 2-OCH₃, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is C₂H₅O-CO-CH₂-;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2,5-diCl-phenyl, and R^{11b} is H;
- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-F-phenyl, and R^{11b} is CH₃;

- a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-F-phenyl, and R^{11b} is CH_3 ;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-F-phenyl, and R^{11b} is ethyl;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-F-phenyl, and R^{11b} is ethyl;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is ethyl;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2- CH_3O -phenyl, and R^{11b} is H;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2,6-diCl-phenyl, and R^{11b} is H;
 a compound of formula I(c) wherein R^1 is Cl, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is Cl;
 a compound of formula I(c) wherein R^1 is $(CH_3)_2N-(CH_2)_2-NH-$, R^{4a} is H, R^{5a} is Cl, R^{5b} is H, R^{11a} is phenyl, and R^{11b} is Cl;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is H, and R^{11b} is phenyl;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2,6-diF-phenyl, and R^{11b} is CH_3 ;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is CH_3 , R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is Cl, R^{5a} is CH_3 , R^{5b} is 2- CH_3 , R^{11a} is phenyl, and R^{11b} is H;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is Cl, R^{5a} is CH_3 , R^{5b} is 2- CH_3 , R^{11a} is phenyl, and R^{11b} is CH_3 ;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is CH_3 ;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl-CO-;
 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is C_2H_5O-CO- ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $(CH_3)_2N-CO-CH_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is

phenyl, and R^{11b} is ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $C_2H_5O-CO-(CH_2)_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is CH_3O-CH_2- ;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $(CH_3)_2N-(CH_2)_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-F-phenyl, and R^{11b} is $(CH_3)_2N-CH_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $(CH_3)_2N-CO-(CH_2)_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $HO-CH_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is

phenyl, and R^{11b} is ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is cyclohexyl;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-F-phenyl, and R^{11b} is C_2H_5O-CO- ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3,5-diF-phenyl, and R^{11b} is H;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-F-phenyl, and R^{11b} is CH_3 ;

a compound of formula I(c) wherein R^1 is CH_3 , R^{4a} is F, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is OCH_3 , R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2,5-diF-phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is Cl-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is C₂H₅O-CO-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 4-Br-phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is C₂H₅-O-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is CH₃-NH-CH₂-;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl-CH₂-N(CH₃)-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is (CH₃)₃C-O-CO-;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is HOOC-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is HOOC-CH₂-;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is CH₃-NH-CO-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is (CH₃)₂N-CO-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is



a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is




a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is



a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is





a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-



a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 3-F-phenyl, and R^{11b} is H;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $\text{CH}_3\text{O}-(\text{CH}_2)_2-\text{NH}-\text{CO}-\text{CH}_2-$;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;


a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-F-phenyl, and R^{11b} is $\text{HO}-\text{CH}_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-F-phenyl, and R^{11b} is $\text{Cl}-\text{CH}_2-$;

131 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2-F-phenyl, and R^{11b} is $(\text{CH}_3)_2\text{N}-\text{CH}_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is NH_2-CH_2- ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Br, R^{5b} is 2-Br, R^{11a} is phenyl, and R^{11b} is CH_3 ;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is $\text{phenyl}-\text{NH}-\text{C}(=\text{S})-\text{NH}-\text{CH}_2-$;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl-(CH₂)₂-N(CH₃)-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is (4-Cl-phenyl)-NH-CO-NH-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is c-C₆H₁₁-N(CH₃)-CH₂-;


B1 a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is (CH₃)₂N-(CH₂)₂-N(CH₃)-CO-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is phenyl, and R^{11b} is phenyl-CH₂-SO₂-NH-CH₂-;

a compound of formula I(c) wherein R^1 is H, R^{4a} is H, R^{5a} is Cl, R^{5b} is 2-Cl, R^{11a} is 2,3-diF-phenyl, and R^{11b} is H; and

enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.

18. A composition comprising a compound of formula I(d)



I(d)

wherein said compound is selected from the group consisting of

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is H, R^{11a} is OH, R^{11b} is $c\text{-C}_3\text{H}_5\text{-CH}_2\text{-}$, and R^{11c} is CH_3 ;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is H, R^{11a} is H, R^{11b} is $\text{C}_2\text{H}_5\text{O-CO-}$, and R^{11c} is OH;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is H;

a compound of formula I(d) wherein R^{4a} is CF_3 , R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is H;

a compound of formula I(d) wherein R^{4a} is CF_3 , R^{5a} is Cl, R^{11a} is phenyl, R^{11b} is H, and R^{11c} is H;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is H, R^{11a} is H, R^{11b} is H, and R^{11c} is NH_2 ;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is 4-morpholinyl;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is 4- CH_3 -1-piperazinyl;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is H;


a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is H;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is NH_2 , R^{11b} is H, and R^{11c} is H;


a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is 4-morpholinyl;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is OH;


a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c}




a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c}



a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c}



a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c}



a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is $(CH_3)_2N-$, R^{11b} is H, and R^{11c} is H;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is CF_3-SO_2-O- ;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is $HO-(CH_2)_2-NH-$;


a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is $[HO-(CH_2)_2]_2N-$;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is , R^{11b} is H, and R^{11c} is H;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is 1-piperazinyl;


a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c} is $(HO-CH_2)_2CH-NH-$;

a compound of formula I(d) wherein R^{4a} is H, R^{5a} is Cl, R^{11a} is H, R^{11b} is H, and R^{11c}



enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.

19. A composition comprising a compound of formula I(e)




wherein said compound is selected from the group consisting of

- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is phenyl, and R^{11b} is H;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 2-F-phenyl, and R^{11b} is H;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is phenyl, and R^{11b} is CH_3 ;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 4-pyridinyl, and R^{11b} is H,
 - wherein said compound is a racemic mixture;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 4-pyridinyl, and R^{11b} is H,
 - wherein said compound is levorotatory;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 4-pyridinyl, and R^{11b} is H,
 - wherein said compound is dextrorotatory;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 2-Cl-phenyl, and R^{11b} is H;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 3-F-phenyl, and R^{11b} is H;
- a compound of formula I(e) wherein R^{5a} is H, R^{11a} is CH_3 , and R^{11b} is phenyl;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 3-F-phenyl, and R^{11b} is CH_3 ;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 3-Cl-phenyl, and R^{11b} is H;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 3- CH_3 -phenyl, and R^{11b} is H;
- a compound of formula I(e) wherein R^{5a} is H, R^{11a} is phenyl, and R^{11b} is phenyl;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 2- CH_3 -phenyl, and R^{11b} is H;
- a compound of formula I(e) wherein R^{5a} is Cl, R^{11a} is 3-pyridinyl, and R^{11b} is H; and

enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.

20. A composition comprising a compound of formula I(f)



I(f)

wherein said compound is selected from the group consisting of

- a compound of formula I(f) wherein X is S, R² is 1*H*-benzimidazol-2-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-CH₃-1,2,4-triazol-3-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is (CH₃)₂N-(CH₂)₂-, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 1*H*-1,2,4-triazol-3-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 5-CH₃-1,3,4-thiadiazol-2-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-F-phenyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 1-CH₃-2-imidazolyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-aminophenyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-OH-6-CH₃-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;

- a compound of formula I(f) wherein X is S, R² is 4-OH-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 5-CH₃-1*H*-benzimidazol-2-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-thiazolyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-furanyl-CH₂-, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-pyridinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4,6-diCH₃-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-Cl-phenyl-CH₂-, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2,4-diamino-6-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 1*H*-purin-6-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4,6-diamino-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-benzoxazolyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-OH-6-propyl-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-pyridinyl, *N*-oxide, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 1*H*-pyrazolo[3,4-*d*]pyrimidin-4-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-CH₃-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is C₂H₅-O-C(=O)-CH₂-, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-benzothiazolyl, R^{4a} is H, and R^{5a} is H;

- a compound of formula I(f) wherein X is S, R² is 4,5-dihydro-2-thiazolyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-(4-OCH₃-phenyl)-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is CH₃-O-C(=O)-(CH₂)₂-, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is thiazolo[5,4-b]pyridin-2-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-OH-6-(CH₃OCH₂)-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-amino-1*H*-purin-4-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-(2-thienyl)-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 6-CH₃-5-oxo-4*H*-1,2,4-triazin-3-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-pyridinyl, R^{4a} is CF₃, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 4-amino-6-OH-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 5-CF₃-2-pyridinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 5-CF₃-4*H*-1,2,4-triazol-3-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is cyclohexyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 5-ethyl-4-oxo-2(3*H*)-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 2-pyridinyl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is 1*H*-imidazol-2-yl, R^{4a} is H, and R^{5a} is H;
- a compound of formula I(f) wherein X is S, R² is C₂H₅-O-C(=O)-CH(NH₂)-, R^{4a} is H, and R^{5a} is H;

a compound of formula I(f) wherein X is S, R² is 2,4-diOCH₃-6-pyrimidinyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(f) wherein X is O, R² is CH₃, R^{4a} is H, and R^{5a} is H;

a compound of formula I(f) wherein X is O, R² is (CH₃)₂CH-CH₂, R^{4a} is H, and R^{5a} is H;

a compound of formula I(f) wherein X is S, R² is thiazolo[5,4-b]pyridin-2-yl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-pyridinyl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-pyridinyl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-pyridinyl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-pyridinyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-benzoxazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 4-phenyl-2-thiazolyl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 4-phenyl-2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is thiazolo[5,4-b]pyridin-2-yl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-benzoxazolyl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-benzothiazolyl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-benzothiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 4,5-dihydro-2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 6-nitro-2-benzothiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 6-NH₂-2-benzothiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

- 31
- a compound of formula I(f) wherein X is S, R² is 4-(2-thienyl)-2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 5-phenyl-1,3,4-oxadiazol-2-yl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 5CH₃-4-phenyl-2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 4-NH₂-phenyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 6-ethoxy-2-benzothiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is pyrido[3,4-d]thiazol-2-yl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 1*H*-benzimidazol-2-yl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 4-(2,4-diF-phenyl)-2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 4-(CH₃-CO-NH)-phenyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 4-(2-furanyl)-2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 1,3-dihydro-4-phenyl-2*H*-imidazole-2-thion-5-yl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 2-pyrazinyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 5-Cl-2-benzothiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is pyrido[3,4-d]oxazol-2-yl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 3-phenyl-1,2,4-oxadiazol-5-yl, R^{4a} is CF₃, and R^{5a} is Cl;
- a compound of formula I(f) wherein X is S, R² is 5-CH₃-4-phenyl-2-thiazolyl, R^{4a} is CF₃, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 5-phenyl-1,3,4-oxadiazol-2-yl, R^{4a} is H, and R^{5a} is Cl;


a compound of formula I(f) wherein X is S, R² is (2-pyrazinyl)-CH₂-, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 3-phenyl-1,2,4-oxadiazol-5-yl, R^{4a} is H, and R^{5a} is Cl;

a compound of formula I(f) wherein X is S, R² is 4-pyrimidinyl, R^{4a} is H, and R^{5a} is Cl; and

enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.

21. A composition comprising a compound of formula I(g)



wherein said compound is selected from the group consisting of

a compound of formula I(g) wherein R² is 5-CH₃-3-isoxazolyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is CH₃-O-(CH₂)₂-, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is 4-CH₃-6-OCH₃-2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is 2-furanylethyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is 2-thiazolyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is cyclohexyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is benzoyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is 1-CH₃-4-piperidinyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is 2-pyrimidinyl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is 1H-imidazol-2-yl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R² is C₂H₄OH, R^{4a} is H, and R^{5a} is H;


a compound of formula I(g) wherein R^2 is thiazolo[5,4-b]pyridin-2-yl, R^{4a} is H, and R^{5a} is H;

a compound of formula I(g) wherein R^2 is 4-phenyl-2-thiazolyl, R^{4a} is CF_3 , and R^{5a} is Cl;

a compound of formula I(g) wherein R^2 is 5- CH_3 -4-phenyl-2-thiazolyl, R^{4a} is H, and R^{5a} is H; and

a compound of formula I(g) wherein R^2 is 2-pyrimidinyl, R^{4a} is H, and R^{5a} is Cl.

22. A composition comprising a compound of formula I(h)



I(h)

wherein said compound is selected from the group consisting of

a compound of formula I(h) wherein R^1 is H, R^2 is $N(CH_3)_2$, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

a compound of formula I(h) wherein R^1 is H, R^2 is 1,2,4-triazol-1-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

a compound of formula I(h) wherein R^1 is H, R^2 is 1,2,4-triazol-4-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

a compound of formula I(h) wherein R^1 is H, R^2 is 1*H*-imidazol-1-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenyl-1,3,4-oxadiazol-2-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

a compound of formula I(h) wherein R^1 is H, R^2 is 5- CH_3 -1,3,4-oxadiazol-2-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenyl-2-oxazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

- a compound of formula I(h) wherein R^1 is CH_3 , R^2 is 5-phenyl-1,3,4-oxadiazol-2-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenyl-2-oxazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is CH_3 , R^2 is 3-phenyl-1,2,4-oxadiazol-5-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenyl-1,2,4-oxadiazol-3-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 2- CH_3 -1,2,4-triazol-3-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 1- CH_3 -2-imidazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- B¹ a compound of formula I(h) wherein R^1 is OH, R^2 is 2- CH_3 -1,2,4-triazol-3-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is OH, R^2 is 2-benzothiazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 4-pyridinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 4-pyridinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 2-pyridinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 2-pyridinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 3-pyridinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is OH, R^2 is 3-pyridinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 4- CH_3 -1-piperazinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 4-OH-1-piperidinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

- a compound of formula I(h) wherein R^1 is OH, R^2 is 1-CH₃-2-imidazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is OH, R^2 is 3-CH₃-4-imidazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is OH, R^2 is CN-CH₂-, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 1-CH₃--2-imidazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 3-pyridinyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 3-phenyl-1,2,4-oxadiazol-5-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-CH₃-1,2,4-oxadiazol-3-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenyl-1,3,4-oxadiazol-2-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-SH-4-phenyl-1,2,4-triazol-3-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-(phenyl-NH)-1,3,4-thiadiazol-2-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 2-benzothiazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 2-benzoxazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is CH₃, R^2 is 2-benzoxazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenyl-1,3,4-thiadiazol-2-yl, R^{4a} is H, R^{5a} is H, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is Cl, R^2 is 2-benzothiazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is NH₂, R^2 is 2-benzothiazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;

- a compound of formula I(h) wherein R^1 is HO, R^2 is CN-CH₂-, R^{4a} is CF₃, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is CH₃O, R^2 is 2-benzothiazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is H;
- a compound of formula I(h) wherein R^1 is H, R^2 is (4-phenyl-2-thiazolyl)-CH₂-, R^{4a} is H, R^{5a} is H, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is HO-CH₂-, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 2-benzothiazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is (2-pyrimidinyl)thio-CH₂-, R^{4a} is H, R^{5a} is H, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is HO-CH₂-, R^{4a} is CF₃, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is H₃C-SO₂-O-CH₂-, R^{4a} is CF₃, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 1-CH₃-4-phenyl-2-imidazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-CH₃-4-phenyl-2-oxazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenyl-1,3,4-thiadiazol-2-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 4-CH₃-5-phenyl-1,2,4-triazol-3-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 3-phenyl-1,2,4-oxadiazol-5-yl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 1-CH₃-2-phenyl-5-imidazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-CH₃-4-(4-F-phenyl)-2-oxazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;
- a compound of formula I(h) wherein R^1 is H, R^2 is 5-phenylimidazo[2,1-b]thiazol-6-yl, R^{4a} is H, R^{5a} is H, and R^{5b} is Cl;

a compound of formula I(h) wherein R^1 is H, R^2 is 5,6-dihydro-2-phenylimidazo-[2,1-b]thiazol-3-yl, R^{4a} is H, R^{5a} is H, and R^{5b} is Cl;

a compound of formula I(h) wherein R^1 is H, R^2 is 2,4-diphenyl-5-oxazolyl, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl;

a compound of formula I(h) wherein R^1 is H, R^2 is $H_3C-SO_2-O-CH_2-$, R^{4a} is H, R^{5a} is Cl, and R^{5b} is Cl; and

enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.
